EAGLE II SERIES



EAGLE SERIES - BELT DRIVE MODELS

	Carts: Skids*:	EB3025HG	EB4035HG S/EB4035HG	EB4040HA S/EB4040HA	EB4040HC S/EB4040HC	EB4040HG S/EB4040HG
Engine		Honda GX200	Honda GX390	Honda GX390	Honda GX390	Honda GX390
Pump		GP	GP	AR	CAT	GP
Electric start			-			24
Drive system		Belt	Belt	Belt	Belt	Belt
Pressure	PSI	2500	3500	4000	4000	4000
Flow	GPM	3	4	4	4	4
Dimensions (inches LxWxH)	Cart	41 x 23 x 25	41 x 26 x 25	41 x 26 x 25	41 x 26 x 25	41 x 26 x 25
	Skid	22	30 x 17 x 20	29 x 17 x 20	29 x 17 x 20	29 x 17 x 20
Weight (lbs)	Cart	110	159	157	151	158
	Skid	æ	150	148	142	149
Fuel type (Power source)		Gasoline	Gasoline	Gasoline	Gasoline	Gasoline
Fuel tank size	L / quarts	3.1/3.27	6.1/6.44	6.1/6.44	6.1/6.44	6.1-6.44
Accessories:	*			/		
Downstream chemical injection w/ QC		Standard	Standard	Standard	Standard	Standard
Gun-Lance holder*		Standard	Standard	Standard	Standard	Standard
Wheels		Large Flat Free	Large Flat Free	Large Flat Free	Large Flat Free	Large Flat Free
Hose (Grey non-marking with QC)		Yes	Yes	Yes	Yes	Yes
Nozzles		0,15,25,40,Soap	0,15,25,40,Soap	0,15,25,40,Soap	0,15,25,40,Soap	0,15,25,40,Soap

^{*}Skid versions are on a Powder coated steel base and have no gun-lance holder or wheels NOTE: ships with 2 piece wand, minor assembly required





EAGLE II SERIES



EAGLE SERIES - BELT DRIVE MODELS

	Carts: Skids*:	EB4042HV S/EB4042HV	EB5030HG S/EB5030HG	EB5525HG S/EB5525HG	EB4035HGE S/EB4035HGE	EB4040HAE S/EB4040HAE
Engine		Honda GX390	Honda GX390	Honda GX390	Honda GX390	Honda GX390
Pump		Viper	GP	GP	GP	AR
Electric start			-	24	Standard	Standard
Drive system		Belt	Belt	Belt	Belt	Belt
Pressure	PSI	4200	3000	2500	3500	4000
Flow	GPM	4	5	5.5	4	4
Dimensions (inches LxWxH)	Cart	41 x 26 x 25	41 x 26 x 25	41 x 26 x 25	46 x 26 x 26	46 x 26 x 26
	Skid	29 x 17 x 20	29 x 17 x 20	29 x 17 x 20	34.5 x 22 x 20	34.5 x 22 x 20
Weight (lbs)	Cart	149	158	158	199	197
	Skid	140	149	149	166	164
Fuel type (Power source)		Gasoline	Gasoline	Gasoline	Gasoline	Gasoline
Fuel tank size	L / quarts	6.1/6.44	6.1/6.44	6.1/6.44	6.1-6.44	6.1-6.44
Accessories:	***					
Downstream chemical injection w/ QC Standard		Standard	Standard	Standard	Standard	Standard
Gun-Lance holder*		Standard	Standard	Standard	Standard	Standard
Wheels		Large Flat Free	Large Flat Free	Large Flat Free	Large Flat Free	Large Flat Free
Hose (Grey non-marking with QC)		Yes	Yes	Yes	Yes	Yes
Nozzles		0,15,25,40,Soap	0,15,25,40,Soap	0,15,25,40,Soap	0,15,25,40,Soap	0,15,25,40,Soap

^{*}Skid versions are on a Powder coated steel base and have no gun-lance holder or wheels NOTE: ships with 2 piece wand, minor assembly required





EAGLE II SERIES



EAGLE SERIES - BELT DRIVE MODELS

	Carts: Skids*:	EB4040HCE S/EB4040HCE	EB4040HGE S/EB4040HGE	EB4042HVE S/EB4042HVE	EB5030HGE	EB5525HGE S/EB5525HGE
Engine		Honda GX390	Honda GX390	Honda GX390	Honda GX390	Honda GX390
Pump		CAT	GP	Viper	GP	GP
Electric start		Standard	Standard	Standard	Standard	Standard
Drive system		Belt	Belt	Belt	Belt	Belt
Pressure	PSI	4000	4000	4200	3000	2500
Flow	GPM	4	4	4	5	5.5
Dimensions (inches LxWxH)	Cart	46 x 26 x 26	46 x 26 x 26	46 x 26 x 26	46 x 26 x 26	46 x 26 x 26
	Skid	34.5 x 22 x 20	34.5 x 22 x 20	34.5 x 22 x 20	34.5 x 22 x 20	34.5 x 22 x 20
Weight (lbs)	Cart	191	198	189	198	198
	Skid	158	165	156	₽	165
Fuel type (Power source)		Gasoline	Gasoline	Gasoline	Gasoline	Gasoline
Fuel tank size	L / quarts	6.1/6.44	6.1/6.44	6.1/6.44	6.1-6.44	6.1-6.44
Accessories:	***					
Downstream chemical injection w/ QC Standard		Standard	Standard	Standard	Standard	Standard
Gun-Lance holder*		Standard	Standard	Standard	Standard	Standard
Wheels		Large Flat Free	Large Flat Free	Large Flat Free	Large Flat Free	Large Flat Free
Hose (Grey non-marking with QC)		Yes	Yes	Yes	Yes	Yes
Nozzles	MIX	0,15,25,40,Soap	0,15,25,40,Soap	0,15,25,40,Soap	0,15,25,40,Soap	0,15,25,40,Soap

^{*}Skid versions are on a Powder coated steel base and have no gun-lance holder or wheels NOTE: ships with 2 piece wand, minor assembly required



